HARDI-Pumpen für englische Fahrzeuge



1112-5		Baujahr
5.5 (6.7) 6.7.3	Morris Minor	1956-70
	Morris Minor 1000 Van/Pick-Up	1949-72
1112-1		
	Fitment Pump, delivering 10 gallons per hour	
2-2,5 PSI D	elivery pressure	1055 50
	Rover M G A 1.5	1955-59
	Rover M G A 1.6Mk1 Rover M G A 1.6 Mk.2	1955-59 1959-62
	Novel W G A 1.0 WK.2	1939-02
13312		
	Fitment Pump, delivering 9 gallons per hour elivery Pressure	
	Innocenti Mini 848cc	1959-69
	Innocenti Mini Cooper 998cc	1961-69
	Innocenti Mini Cooper (inc. Cooper S)	1967-80
	Rover 1100	1962-74
	Rover 1300	1967-74
	Rover 1800	1964-68
	Rover A40 Farina Mk.2	1961-67
	Rover A55, Cambridge 1.6 Rover A60, Cambridge 1,6	1959-70 1959-70
	Rover MG Magnette 1.6 Mk.4	1959-68
	Rover MG Midget 1.1 Mk.2	1964-66
	Rover MG Midget 1.3 Mk.3	1966-74
	Rover Mini	1959-69
	Rover Mini Cooper (inc. Cooper S)	1963-71
	Rover Oxford 1.6	1959-71
	Rover Riley 4/68 1.5	1959-61
	Rover Riley 4/72 1.6	1961-69 1961-69
	Rover Riley Elf Rover Riley Kestrel 1.1	1965-68
	Rover Riley Kestrel 1.3	1967-69
	Rover Sprite 1.1 Mk.3	1961-66
	Rover Sprite 1.3 Mk.4	1966-71
	Rover Wolseley 15/60 1.5	1956-61
	Rover Wolseley 16/60 1.6	1961-71
	Rover Wolseley 18/85 1.8	1967-72
	Rover Mini Van / Pick up	1960-70
9912		
under body	fitment pump	
	7.5 gallons per hour maximum	
2.5-3 PSI D	elivery pressure	4000 70
	Jaguar Daimler Sovereign 2.8	1969-73
	Jaguar Daimler Sovereign 4.2	1966-74
	Jaguar Daimler 250 (VB) Jaguar E Type 4.2	1962-69 1966-71
	Jaguar Mk 2 2.4	1961-69
	Jaguar Mk 2 3.4	1961-69
	Jaguar Mk 2 3.8	1961-69
	Jaguar Mk 10 4.2	1963-68
	Jaguar 420 4.2	1963-68
	Jaguar XJ6 2.8	1968-73
	Jaguar XJ6 4.2	1968-74
	Jensen Healey Mk1,2	1972-75

1972-75

1965-81

1973-76

1967-69

1972-75

Rover 2200

Rover MGC 3.0

Rover Wolseley Six 2.2

Rover MGB Roadster GT 1.8 (exc. V8)

Rover MGB Roadster GT 3.5 (V8)